

WorkForce Pro WF-C869RDTWF

DATASHEET / BROCHURE



Save on energy and cut waste with this reliable 4-in-1 business MFP, featuring predictable printing costs and low user intervention.

Print 84,000 pages¹ without any supply changes with this exemplary business printer, using Epson's super-high-yield Replaceable Ink Pack System (RIPS). Cut intervention downtime and lessen your impact on the environment with a reduction of up to 95 percent on energy¹ and 99 percent on waste¹. It also uses PrecisionCore technology, renowned for its speed, quality, reliability and efficiency.

Print 84,000 pages uninterrupted

Thanks to super-high-yield ink supply units, you can print up to 84,000 pages without replacing the ink¹, that's up to 4.5 times more prints than colour lasers and copiers². It cuts intervention time by up to 98 percent² as replacement inks are few and far between.

The best choice

It uses Epson's most advanced printhead designed for business, PrecisionCore. But that's not all; compared to competitive colour lasers it uses up to 95 percent less power² thanks to its no-heat technology. There really is no contest; it also beats lasers and copiers with an up to 99 percent reduction in waste and it's up to 23% quieter than lasers and laser copiers².

Be more productive

Its first page out time is up to three and a half times faster than competitive products². Wait times and the distance to collect print jobs are minimised too as it's a workgroup printer.

Built for business

Take control with a range of software and tools that provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate. Epson Open Platform and our work with ISVs add extra solutions, such as PaperCut print management software. Designed for busy environments, its paper tray and other features are built to be robust and durable.

KEY FEATURES

- **Reduce downtime**
Print up to 84,000 pages without replacing the ink¹
- **Ecological**
Uses up to 95 percent less power than competitive colour lasers²
- **Save time**
Automatic double-sided printing, scanning, copying and faxing
- **Built for business**
Added functionality with software tools such as Epson Open Platform
- **PrecisionCore technology**
Epson's most advanced printhead technology

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|--|
| Printing Method | PrecisionCore™ Print Head |
| Nozzle Configuration | 800 Nozzles Black, 800 Nozzles per Color |
| Minimum Droplet Size | 4,6 pl, With Variable-Sized Droplet Technology |
| Ink Technology | Replaceable Ink Pack System (RIPS) |
| Category | Office Workgroup, Office Departmental |
| All-in-One Functions | Print, Scan, Copy, Fax |

PRINT

| | |
|--|---|
| First Page Out | Monochrome 6 Seconds, Colour 6,5 Seconds |
| Printing Speed ISO/IEC 24734 | 24 pages/min Monochrome, 24 pages/min Colour |
| Duplex Printing Speed ISO/IEC 24734 | 16 A4 Pages/min Monochrome, 16 A4 Pages/min Colour |
| Printing Speed ISO/IEC 24734 (A3) | 13 pages/min Monochrome, 13 pages/min Colour |
| Duplex Printing Speed ISO/IEC 24734 (A3) | 11 A4 Pages/min Monochrome, 11 A4 Pages/min Colour |
| Maximum Printing Speed | 35 pages/min Colour (plain paper 75 g/m ²), 35 pages/min Monochrome (plain paper 75 g/m ²) |
| Printing Resolution | 4.800 x 1.200 DPI |
| Printing Volume | 75.000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities. |
| Recommended Duty Cycle | 2.000 - 10.000 pages per month |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

| | |
|--------------------------------------|--|
| Single-sided scan speed (A4 black) | 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan |
| Doubled-sided scan speed (A4 black) | 200 dpi (with ADF); , 45 ipm with ADF scan |
| Single-sided scan speed (A4 colour) | 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan |
| Doubled-sided scan speed (A4 colour) | 200 dpi (with ADF); , 45 ipm with ADF scan |
| Optical Resolution | 1.200 DPI x 2.400 DPI (Horizontal x Vertical) |
| Optical Resolution (ADF) | 600 DPI x 600 DPI (Horizontal x Vertical) |
| Advanced document integration | Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint with Epson Document Capture Pro, USB Memory Device / Card |
| Output formats | JPEG, TIFF, PDF |
| Scanner type | Contact image sensor (CIS) |

FAX

| | |
|------------------------|---|
| Type of fax | Walk-up black and white and colour fax capability |
| Fax Transmission Speed | Up to 33.6kbps / Approx. 3 sec/page |
| Error correction mode | CCITU/ITU Group3 fax with Error Correction Mode |
| Fax speed dials (max) | 2.000 names and numbers |
| Page memory | Up to 550 pages/ 6MB (ITU-T No. 1 chart) |
| Fax Functions | PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address Book |

WorkForce Pro WF-C869RDTWF

WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Paper tray
- Initialization Ink Supply Units

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RDTWF

COPY

| | |
|--------------------------|--|
| Copy Speed | Up to 22 ipm Black, Up to 21 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735) |
| Copy resolution (dpi) | 600 x 1200 |
| Reduction / Enlargement | 25 % - 400 % Auto fit function |
| Maximum number of copies | 999 |
| Maximum Copy Size | A3 |

CONNECTIVITY

| | |
|---------------------------------------|--|
| Network Printing Protocols | LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, IPPS, PTP over IP, DPS over IP, IS, Bonjour/Airprint |
| Network Management Protocols | HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DCHP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap |
| Network Scanning Protocols Interfaces | NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), USB host, Wi-Fi Direct, USB 2.0 Type A (2x), Wireless LAN IEEE 802.11a/b/g/n, USB 3.0 Type B |
| WLAN Security Network Protocol | WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES) TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS |

PAPER / MEDIA HANDLING

| | |
|---------------------------------|---|
| Paper Formats | A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5 (17.6x25.7 cm), C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, Legal, A3 (29.7x42.0 cm), B4 (25.7x36.4 cm), B6 (12.5x17.6 cm), C5 (Envelope), DL (Envelope), HLT, EXE, Tabloid, A3+ |
| Automatic Document Feed | 50 pages |
| Compatible Paper Weight | 64 g/m ² - 300 g/m ² |
| Duplex | Yes |
| Standard Paper input | 835 Sheets Standard, 85 Sheets MP tray, 750 Sheets paper tray |
| Output Tray Capacity | 250 Sheets |
| Paper Tray Capacity | 835 Sheets Standard, 1.835 Sheets Maximum |
| Standard paper tray(s) | 85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 500-Sheet paper tray |
| Optional paper tray(s) | 2 x 500-Sheet paper tray, Cabinet |
| Maximum paper input | 1.835 |
| Rear paper path (special media) | Yes |
| Number of paper trays | 3 |

PAPER FEED RASF

| | |
|-------------------------|---|
| Paper Input Name | RASF |
| Paper Formats | A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid |
| Custom sizes | Min 55x 330 mm to Max 127x 1.200 mm |
| Compatible paper weight | 64 g/m ² - 300 g/m ² |
| Paper Capacity 1 | 85 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper |

PAPER FEED C1

| | |
|-------------------------|--|
| Paper Input Name | C1 |
| Paper Formats | A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid |
| Compatible paper weight | 64 g/m ² - 200 g/m ² |
| Paper Capacity 1 | 250 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PAPER FEED C2

| | |
|-------------------------|---|
| Paper Input Name | C2 |
| Paper Formats | A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive |
| Compatible paper weight | 64 g/m ² - 200 g/m ² |
| Paper Capacity 1 | 500 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RDTWF

PAPER FEED DUPLEX

| | |
|-------------------------|---|
| Paper Input Name | Duplex |
| Paper Formats | A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid |
| Compatible paper weight | 64 g/m ² - 150 g/m ² |

GENERAL

| | |
|------------------------------------|--|
| Energy Use | 20 Watt (Ready), 0,5 Watt (Power off), 40 Watt (standalone copying, ISO/IEC 24712 pattern), 1,6 Watt (sleep mode), TEC 0,24 kWh/week |
| Supply Voltage | AC 220 V - 240 V |
| Product dimensions | 787 x 758 x 621 mm (Width x Depth x Height) |
| Product weight | 64,1 kg |
| Compatible Operating Systems | Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Microsoft Windows XP (Home Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP x64, Windows Server 2003 R2 |
| Sound Power | Operation: 6,4 B (A) |
| Noise | Operation: 48 dB (A) |
| Mobile and Cloud printing services | Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print |
| Power supply | 220V, 240V |

ADDITIONAL FEATURES

| | |
|--------------------|--|
| Features | Touchscreen, Direct scan-to-print without PC, Direct print from USB |
| Panel | Type: Color, Touchscreen, Diagonal: 12,7 cm |
| Media Handling | Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media feed, Thick Media Support |
| Security Functions | Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode |

OTHER FEATURES

| | |
|------------|--|
| Emulations | PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3 |
|------------|--|

OTHER

| | |
|----------|---------------------------|
| Warranty | 12 months On-site service |
|----------|---------------------------|

SUPPLIES

- Double-Sided Photo Quality Inkjet Paper - A4 - 50 Sheets C13S400059

WorkForce Pro WF-C869RDTWF

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette
C12C932611
- Low Cabinet
C12C932891
- Card Reader Holder
C12C932921
- High Cabinet
C12C933561

LOGISTICS INFORMATION

| | |
|-------|---------|
| Layer | 1 Units |
|-------|---------|



1. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Initialisation inks only have enough ink to support printer start up, new inks have to be purchased or supplied for normal operation.
2. For more information, visit www.epson.eu/inkjetsaving

EPSON[®]